



Marelli
lighting



ELISIUM 1000



BIO ANALYZER
BIO SCANNER

BIO ANALYZER

PRINCIPLE OF ANALYSIS

The human body is an aggregate of numerous cells that continuously grow and develop, divide, regenerate and die. By dividing the cells they are renewed.

In an adult, about 25 million cells divide each second and the blood cells are constantly renewed at a rate of about 100 million per minute.

In the process of cell splitting and renewal, the charged elements of the nucleus and the extra-nuclear electrons, as the base unit of a cell, move and change incessantly at high speed, emitting electromagnetic waves.

The frequencies of the electromagnetic waves emitted by the various organs represent the specific condition of the human body and therefore different signals of electromagnetic waves are emitted according to the conditions of good health or diseases, etc.

Health conditions can therefore be assessed by analyzing these frequencies of specific electromagnetic waves.

ELISIUM 1000 is an advanced technology tool, conceived and produced by the ALGAPHARMA Company, the electro-medical division of ERCOLE MARELLI GROUP, a historic Italian company operating for 90 years in the fields of research, design and production of advanced technology equipment.

It is based on the scientifically proven principle that every cell in our body (therefore every organ or group of organs) "vibrates" with its own frequency that regulates its functioning during all life, allowing it to interact with the brain.

ELISIUM 1000 generates and sends every second the specific frequency of each organ, and receiving the measurement measures how much that organ is in "frequency".

The low intensity electromagnetic frequencies and the energy of the human body are detected by simply holding the sensor in the palm of the hand for 1 minute.

The digital circuits of the ELISIUM 1000 provide to amplify and process them with high-speed microprocessors, and consequently to compare them with the quantum resonance spectrum of the various diseases, based on the measured values and other indicators, using the Fourier approach.

The special software, exclusive to the ELISIUM 1000, is able to measure any frequency deviations and process, based on the variations detected, the analytical parameters of the organ's operation, signaling to the operator specific pathologies and suggesting remedies and / or deepenings .

At the end of the processing, analytical sheets are displayed relating to the health conditions and the main problems detected, as well as standard curative proposals.

This tool is ideal for doctors, clinics, pharmacies. The operator can write the prescription on the basis of the analysis reports obtained.

ANALYSIS METHOD

The method of magnetic resonance quantum analysis is a rapid, accurate and non-invasive emerging test method and is particularly suitable for testing sub-health conditions.

The main elements of analysis are over 40, including cardiovascular and cerebrovascular conditions, bone mineral density, trace elements, heavy metals in the blood, rheumatism, lung and respiratory tract, nephropathy, blood sugar, stomach and intestine, liver and bile, cranial nerves, gynecology, prostate, bone disease, microelements of selenium, iron, zinc and calcium, etc.

It should be noted that the ELISIUM 1000 instrument does not refer to any reference database for its specific results, but performs absolutely customized analytical measurements with certainty of results that are in line with the current analysis of traditional medicine.

ADVANTAGES

ELISIUM 1000 allows, with its use, to save time and costs:

- To perform the same number of analyzes, several sessions would be required in different laboratories with different specifications (blood and urine, tac, echo, etc.) that in any healthcare system require appointments and / or long queues.
- Most of the traditional analyzes should be done on a fast or full bladder, or else it is necessary to collect and transport feces and urine to the laboratory; in most cases we must present ourselves early in the morning and fast; the various samples leave hematomas, the various gels stain and dirty, the various contrast liquids are tasteless and ultimately toxic.
- In the traditional system all these analyzes require time and many times the results are not contextual, lengthening the diagnostic times, and increasing the percentage of error in their interpretation.

With the use of ELISIUM 1000, the following is implemented:

- In a single session you can control more than three hundred specific analyzes that, if done separately, would cost from one hundred to two hundred times more.
- In a single session the organ or group of organs affected by the pathology is highlighted, eliminating all the unnecessary analyzes to which the patient must undergo, going for elimination with the current analysis system.
- This allows a remarkable saving also to any national health system as well as to the private patient.

- A national health system that equips its primary physicians with the ELISIUM 1000 system saves millions of euros in targeted analyzes, with drastic decreases in diagnostic errors, decreases in medical and paramedical staff, as a result of diagnostic acceleration.

CERTIFICATION

ELISIUM 1000 sees its birth and development in an international project, in collaboration with European and American Universities, aimed at creating a remote analysis system to monitor the health of astronauts.

ELISIUM 1000 has received the certification of several International University research laboratories. Some governments already use it as a basic diagnostic in outpatient public centers. ELISIUM 1000 boasts more than 10 years of comparative clinical analysis, with 100% positive results.

FEATURES

ELISIUM 1000 realizes, in about a minute, more than 40 analysis groups that together specify over three hundred individual analytical measurements.

ELISIUM 1000 is absolutely non-invasive (no needles, no contrast liquids, no nuclear irradiation).

ELISIUM 1000, with its ergonomic hardware and its simple and immediate software, the result of years of study, needs, for its use, a simple and fast course of interpretation of data and images to optimize, as a whole, the results achieved.

SAFETY AND WARRANTY

The security of the hardware and software system is guaranteed through a system of updating and protection using a coded chip, supplied by the parent company.

The instrument warranty is two years, extendable for another three years, with an insurance-type guarantee extension.

ANALYSIS GROUPS

1. CARDIOVASCULAR AND CEREBROVASCULAR ANALYSIS
2. ANALYSIS OF GASTROINTESTINAL FUNCTIONS
3. ANALYSIS OF HEPATIC FUNCTIONALITY
4. ANALYSIS OF THE FUNCTION OF THE CISTIFELLEA
5. ANALYSIS OF THE FUNCTION OF PANCREAS
6. ANALYSIS OF THE RENAL FUNCTION
7. ANALYSIS OF THE POLMONARY FUNCTION
8. ANALYSIS OF THE NERVOUS SYSTEM OF THE BRAIN
9. ANALYSIS OF BONE DISEASES
10. ANALYSIS OF THE BONE MINERAL DENSITY
11. ANALYSIS OF REUMATOID DISEASES OF BONES
12. ANALYSIS OF SUGAR SUGARS (GLICEMIA)

13. ANALYSIS OF PHYSICAL CONDITIONS
14. ANALYSIS OF HUMAN TOXINS
15. ANALYSIS OF THE OLIGOELEMENTS
16. PROSTATE ANALYSIS
17. ANALYSIS OF MALE SEXUAL FUNCTIONS
18. GYNECOLOGICAL ANALYSIS
19. SKIN ANALYSIS
20. ANALYSIS OF THE ENDOCRINE SYSTEM
21. ANALYSIS OF THE IMMUNE SYSTEM
22. BREAST ANALYSIS
23. ANALYSIS OF VITAMINS
24. ANALYSIS OF AMINO ACIDS
25. ANALYSIS OF GROWTH OF BONES
26. ANALYSIS OF OCULAR ELEMENTS
27. ANALYSIS OF HEAVY METALS
28. ANALYSIS OF ALLERGENS
29. ANALYSIS OF COENZYMES
30. ANALYSIS OF THE CAUSES OF OBESITY
31. COLLAGEN ANALYSIS
32. ANALYSIS OF INTESTINAL FUNCTIONS
33. ANALYSIS OF THE THYROID
34. ANALYSIS OF MERIDIANS AND ENERGY CHANNELS
35. ANALYSIS OF THE IMPULSES OF THE HEART AND THE BRAIN
36. ANALYSIS OF FATS IN THE BLOOD
37. ANALYSIS OF THE SPERM
38. ANALYSIS OF THE MENSTRUAL CYCLE
39. ANALYSIS OF ADHD
40. ANALYSIS OF THE BODY ELEMENTS

BIO SCANNER

PRINCIPLE OF ANALYSIS

ELISIUM 1000 is part of a new class of diagnostic devices called "brain machines".

A century ago a doctor, to make a correct diagnosis, needed the experience that the "medical science" of the age had acquired by observing man for millennia.

Today this requires numerous and costly analyzes.

What helps the doctor to set up a correct diagnosis?

The answer is basically one, an inexplicable feeling called intuition. Modern science has come very close to unveiling the phenomenon of intuition which is not the result of a miracle or divine grace, but of very low frequency electromagnetic vibrations, which transmit information to the brain, bypassing the ordinary senses. Of the millions of information only one is recognized, the others are fixed in the subconscious.

Information is extracted from the sphere of the subconscious either spontaneously or unconsciously or through altered states of consciousness: hypnosis, dream, meditation, or after taking psychotropic drugs.

The whole world (including the human race) is deeply interconnected through a variety of informational signals.

This is why the techniques for obtaining information from the sphere of the subconscious are priorities for the development of science and humanity in this century.

Numerous studies in the field of energy information have led to the creation of new equipment capable of breaking down the barrier between the conscious and the unconscious.

This controlled research process is able to provide a great deal of new information about the surrounding world.

As regards a sphere of particular interest such as medicine, these are the new opportunities for diagnosis, other than conventional ultrasound or computed tomography and are an indispensable tool for mass population prophylaxis.

ANALYSIS METHOD

The ELISIUM 1000 diagnostic method allows the assessment of the bioenergetic status of each organ and tissues.

The results can be obtained in the form of a visual image, with the topography of the affected area, or with a graphic function that allows us to analyze the damage of the body tissues, with greater accuracy, and to determine not only the type of injury (inflammation or degeneration), but also the specific diagnosis.

The research is performed by amplifying the resonance radiation of the organ to be studied and recording the relative response.

All this happens in an absolutely non-invasive way, using only the trigger sensor.

Thus the brain receives a signal concerning the need to examine a certain organ; the signal starts from the monitor (in visual form) and from the earphones in the form of specific electromagnetic vibrations of the organ itself.

This is possible because every organ and every cell in the human organism has its own specific spectrum of electromagnetic vibrations.

In this way it is as if we were asking: what happens in this organ?

To this question the patient's brain sends a response that is picked up by the trigger sensor.

In physical terms ELISIUM 1000 is a system of very sensitive electronic oscillators that resonate at the wavelength of an electromagnetic radiation, whose energy is equivalent to the energy that breaks the dominant constraints that maintain the structural organization of the organism in equilibrium in equilibrium. .

The magnetic moments of the molecular currents, influenced by the external electromagnetic fields, lose their initial orientation, which causes misalignment of the spin structures of the electrons located in the cortical neurons.

This variation increases their instability (metastable states), whose disintegration acts as an amplifier of the initial signal.

The hardware-software system developed, by sending resonant signals, stimulates the production of bioelectrical activity of brain neurons.

With this activity as background it is possible to selectively amplify the detected signals, analyze the static fluctuations and then isolate and decode the information they contain.

ELISIUM 1000 devices use a digital trigger sensor allocated in the microprocessor and in the computer hard disk, managed through the specific software and an analog trigger sensor that is placed in the main equipment ELISIUM 1000 in the form of junction transistors, which increases the reliability of research.

OPERATING MODES

The use of ELISIUM 1000 is very simple and intuitive.

The first phase consists in the compilation of the patient card with the required data, as well as a description of the symptoms accused.

It then moves on to select from the list of over 700 slides, those relevant to the organs to be analyzed.

ELISIUM 1000 allows in a few seconds to carry out the required scans and to visualize on the monitor the slides of the organs analyzed with super impression, in the various anatomical parts of the organ, of graphic symbols indicating the different functional or pathological conditions.

From the analysis of these symbols the doctor can draw all the indications for a correct diagnosis, with the aid of the various functions of selective self-diagnosis.

ELISIUM 1000 also allows to select the most suitable drugs for the treatment of the pathologies highlighted, as well as to virtually test the efficacy of the same on the patient, with a comparative view of the therapeutic results.

Finally, there is a function that allows to virtually test the effectiveness of the therapy of corrective frequencies, through the use of the LIFE MIRROR 2000 equipment.

TECHNICAL FEATURES

Main unit

Analog outputs:	2
Digital outputs:	1
Output power:	<150 mW
Processor speed:	4900 MHz
Frequency of internal oscillator:	4 GHz
Pulse duration:	> 0.0001 ms
Operating temperature:	+ 10 / + 40 ° C
Continuous working time:	18 hours
Warranty:	2 years

Main unit and additional options

Analysis repetition interval:	> 24 hours
Diagnostic statistical error:	8 - 12%
Self-diagnosis of the appliance:	Present
Bio-correction:	Present

Frequency generator

Frequency modulator:	> 160 MHz
Sensitivity:	> 0.2 mV
Perception frequency:	<300 Hz
Light presence sensor:	Present

Bioresonance chamber

Volume:	120 ml
Capacity:	10 pF
Inductance:	43.25 mT

Power: 0.5 - 5 W

Bio inductors

Resistance bio inductor coils: 1.52 kohm

Number of bio inductors: 2