


BLACK LIGHT THOR



Marelli
lighting

ELISIUM 2000



BIO ELECTRIC FIELD
BIO MAGNETIC FIELD

BIO ELECTRIC FIELD

PRINCIPLE OF OPERATION

Electrotherapy was used for the first time by the Egyptians to treat diseases. The current method of using specific frequencies for the treatment of health conditions emerged around 1930.

Since then, a great deal of knowledge has been gained from the value of different frequencies for use in the treatment of various diseases.

The ELISIUM 2000 database is the result of all these years of research, which is still evolving.

Frequency-modulated electrotherapy studies have ascertained these potential benefits as a product of a resonance event in molecular structures.

This therapy contributes to the devitalization of fungi, molds, viruses and bacteria.

It also contributes to the excitement of T-Cell and their division and results in an increase in immune function.

The formation of free electrons contributes to the activation of free radicals, which neutralize the effect of cellular damage.

This process takes the name of Electromagnetic Antioxidant Therapy "EMA" and contributes to the strengthening of the body's immune system, similar to the role of vitamins C, E, A and other biological protections.

It also increases cellular electromagnetic potentials, thus increasing the entry barriers to harmful microbes and harmful toxins.

Accelerates tissue repair and cell regeneration functions.

Current research on scalar waves, a more esoteric science of plasma transmitters, where it is believed that there are new and not yet exploited potential healing, which revolves around the placebo, dragging and amplification phenomena.

A positive feed-back derives from the application of Quantum Entanglement in which the patient's DNA samples are exposed to the frequencies of ELISIUM 2000.

The blood lives for about 3 or 4 days under a microscope.

When the blood is examined by someone exposed to frequency-modulated electrotherapy, he lived for up to 30 days under a microscope.

This method is also used as a muscle simulator to relieve pain, reduce spasms and edema, tone weak muscles.

Homeopathic and naturopathic doctors use frequencies in numerous applications to help their patients, including the optimization of RNA / DNA.

It has been stated that everything in this world vibrates when stimulated by the right frequency.

A glass breaks when a singer carries the right notes at the right power.

Likewise, harmful bacteria, viruses, molds and fungi will vibrate and be devitalized when exposed to frequencies that resonate with their small structures.

This interruption of the pathogen provides the possibility for the body's immune system to gain control of the microbial populations, and thus heal from the disease.

NASA has discovered the regeneration of nerve cells with a frequency of 9Hz (the Hertz parameter indicates the number of pulses per second)

NASA also uses modulated frequencies to overcome the bone and muscle problems of astronauts in the absence of gravitational field during free space flight.

These frequencies are between 20Hz and 50Hz.

Doctors all over the world use frequency-modulated electrotherapy for all kinds of health promotion functions, to stimulate the growth of human cells and for the devitalization of harmful pathogens.

If you scan through the database, you will soon discover the impressive breadth of applications of this therapy and its great value for being an important tool like the first aid box in every home.

ELISIUM 2000 has within it a database of frequencies and functions useful for the stimulation of the body. Each disease has a list of frequencies associated with it, inserted in the powerful database of equipment control, and expandable according to the most recent research.

CONTACT TRANSMITTERS (ELECTRODES)

The first nucleus of the ELISIUM 2000 equipment, called BIO ELECTRIC FIELD, receives the signal from a digital computerized generator, which creates different waveforms modulated in frequency and amplitude, to power various contact transmitters (electrodes).

On the front panel there is a knob to control the intensity of the output signal, visualized by a digital display, to adapt it, according to the particular characteristics of each patient, to the various types of contact transmitters and to the various application frequencies.

On the digital display of the signal generator all the parameters of the generated frequencies are displayed, and their duration of application.

MAGNETIC FIELD GENERATORS

The second core of the ELISIUM 2000 equipment, called BIO MAGNETIC FIELD, amplifies the signal emitted by the digital computerized generator, to control the magnetic field generators.

This methodology proved to be particularly effective for the treatment of all rheumatic, muscular, and bone reconstruction or cartilage pathologies of the various joints.

Also in this module there are two control knob of the intensity of the output signal, visualized by two digital displays, to adapt it, according to the characteristics of each patient, to the various types of magnetic field generators and to the various frequencies of application .

The module has two different individually adjustable channels that allow the simultaneous use of two magnetic field generators.

TECHNICAL FEATURES

Bio Electric Field unit

Analog outputs:	1
Output power:	<1000 mW
Processor speed:	2300 MHz
Frequency of internal oscillator:	2 GHz
Pulse frequency:	2 Hz - 20,000 Hz
Pulse duration:	1 ms - 500 ms
Operating temperature:	+ 10 / + 40 ° C
Continuous work time:	24 hours
Warranty:	2 years

Bio Magnetic Field unit

Analog outputs:	2
Output power:	<5000 mW
Processor speed:	2300 MHz
Frequency of internal oscillator:	2 GHz
Pulse frequency:	2 Hz - 20,000 Hz
Pulse duration:	1 ms - 500 ms
Operating temperature:	+ 10 / + 40 ° C
Continuous work time:	24 hours
Warranty:	2 years

SAFETY AND WARRANTY

The security of the hardware and software system is guaranteed through a system of updating and protection using a coded chip, supplied by the parent company.

The instrument warranty is two years, extendable for another three years, with an insurance-type guarantee extension.